

TRV-35H

5mm Slide to Video Converter

third generation slide-to-video converter, the TRV-35H combines state-ofan performance and design to produce stunning video images from your 2°35mm slides. Ideal for use at trade shows, museums and in show rooms.

Bullt-in CCD camera with 410,000 pixels delivers over 450 lines of horizontal resolution and reproduces images that are amazingly faithful to the original.

25x power 200m lens with power focus allows you to get close-up images of just the scene and visual information you want. Image reduction can be used to allow viewing of the entire image and to compensate for vertical slides. Lens adjustment on be done via remote control.

all

- Ezsy-to-use 'joy-stick' color corrector for enhancing color, or to modify color combinations for your own unique special effects.
- Outputs include composite, S-Video and RGB enabling direct connection to video monitors, video projectors and computer capture cards, agree to the six temporary capture cards, agree to the capture cards agree to the capture capture cards agree to the capture c
- Built-in RS-232 interface for external PC control. Optional wired and wireless remote controllers are also available.



- Slide Timer allows
 you to control slide change intervals from
 1.5 to 30 seconds. Produce endless slide displays with up to 80 slides in a single tray.
- Equipped with external sync function, multiple units can be combined to produce smooth video editing with no distortion between cuts, resulting in a dynamic multi image system.

Accessories for ELMO	Presentation Products
Display Accessories for Presenters:	Carrying Cases
1403N 4-inch LCD Monitor for EV-400/500/6000AF,329.95	4351-2 Soft Carrying Case for EV-6000AF
\$201 Monitor TV Shoe for EV-6000AF	HQ22Y Soft Carrying Case for EV-400/500AF
\$100 Monitor TV Shoe for EV-400/500AF	LA-75A Soft Carrying Case for DT-100AF 29.95
	HQ77Y Soft Carrying Case for DT-70AF
Lighting Accessories:	
4050V Visual Plus Base Light for DT-70/100AF	Remote Controls:
23. Pur of 18w fluorescent lamps for VP-4050V (repl.)	RC-551 Wired Remote for EV-400/500AF 99.95
Pair of 6w fluorescent lamps for upper and base lights for	RCW-552 Wireless Remote for EV-400/500AF
400/500/6000AF (repl.) 44.95	RC 351 Wired Remote for TRV-35H
991 Set of 24v 6-watt lamp for TRV-35H (repl.)	RCW 352 Wireless Remote for TRV-35H
35 Set of 12v 8-west lamp for TRV-16H (repl.)	9315-232C Control Software for TRV-35H (WIN 95)

TRV-16H 16mm to Video Converter

I 6mm film images are not only beautiful, but also preserve better, because unlike video tape, they are unaffected by magnetic forces. But 16mm is obviously not the most convenient viewing medium. The TRV-16H allows you to use any 16mm film and converts it to a composite or S-Video signal with over 450 lines of resolution where it can be output to a monitor, VCR or tape. It is also equipped with external sync so you can mix the output with other video sources. Manual focus, iris, framing, and color correction are standard. Semi-automatic film threading and patented film transport mechanisms protect your film from being damaged.



THE PROFESSIONAL'S BOURCE (212) 444-6801 - FAX: (212) 444-6801 1 • 8 0 0 • 9 4 7 • 9 9 0 1

Declassified in Part - Sanitized Copy Approved for Release 2012/10/10 : CIA-RDP10T01930R000500070005-3

